#### UTAH OIL AND GAS CONSERVATION COMMISSION GAS REMARKS WELL LOG ELECTRIC LOGS WATER SANDS LOCATION INSPECTED SUB. REPORT/abd. Location abundoned-well never diffed-1-21-83 7-12-82 X STATE LEASE NO PUBLIC LEASE NO INDIAN 7-15-82 SPUDDED IN: PUT TO PRODUCING COMPLETED: INITIAL PRODUCTION: GRAVITY A.P.I.

API\_NO. 43-007-30083

RGE

NW NE

SEC

FT. FROM (E) (X) LINE.

TWP.

DATE FILED LAND: FEE & PATENTED DRILLING APPROVED:

1676'

GOR.

FIELD: UNIT: COUNTY:

WELL NO.

LOCATION

TWP

12S

PRODUCING ZONES TOTAL DEPTH: WELL ELEVATION: DATE ABANDONED

A 1-21-83

BROOKS CANYON #2-35

SEC.

35

FT. FROM (N) TSTLINE,

HUSKY OIL COMPANY

OPERATOR

3/86 WILDCAT

RGE.

6E

CARBON

1182'

35

1/4 - 1/4 SEC.

**OPERATOR** 



6060 South Willow Drive Englewood, Colorado 80111 (303) 850-1100

July 1, 1982

Mr. Cleon Feight, Director Division of Oil, Gas and Mining 4241 State Office Building Salt Lake City, Utah 84114

Re: Application for
Exception Location
Pursuant to Rule C-3 (c)
Brooks Canyon #2-35
Brooks Canyon Prospect
Carbon County, Utah

Dear Mr. Feight:

In accordance with Rule C-3(c) of the Rules and Regulations of the Division of Oil, Gas and Mining, Husky Oil Company hereby applies for an Exception Location for the Brooks Canyon #2-35 well located in Township 12 South, Range 6 East, Section 35, NW/NE4, (1,182' FNL & 1,676' FEL).

This Exception is necessary due to topographical conditions.

Husky Oil Company is the only owner of oil and gas leases within a radius of 660 feet of the proposed drillsite. Plats of the drillsite and surrounding area are enclosed, as well as a topographic map of the area.

Please direct your reply to my attention at the letterhead address. Thank you very much.

Sincerely,

Karen G. Ball


Landman


KGB/lak

Enclosures

JUL 07 1982


DIVISION OF OIL, GAS & MINING





HUSKY OI	L COMPANY
	ATION FOR EXCEPTION
	Boto-
	Due, by :
	File No.

### T 12 S, R 6 E, S.L.B.& M.



X = Section Corners Located

### PROJECT HUSKY OIL COMPANY

Well location, BROOKS CANYON
# 2-35, located as shown in the
NW 1/4 NE 1/4 Section 35, T 12 S,
R 6 E, S.L.B. & M. Carbon County,
Utah.



#### CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR REGISTRATION Nº 3154

# UINTAH ENGINEERING & LAND SURVEYING P.O. BOX Q ~ 85 SOUTH ~ 200 EAST VERNAL. UTAH ~ 84078

	i Dilitae,	01AII 04010
SCALE	1" = 1000'	DATE 6/22/82
PARTY	RT MD LZ	REFERENCES GLO Plat
WEATHER	Clear / Warm	FILE HUSKY

## STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING


SUBMIT IN TRIPLICATE\*
(Other instructions on reverse side)

instructions on						
verse side)						
	Fee					
	- T	T) : 4:	- 1	0 1	**	_

APPLICATION F	OR PERMIT	TO DRILL, DEEPE	N OFFICE	6. If In	ndian, Allottee or Tri	be Name
. Type of Work	OK I EKMIII	TO DRILL, DELIL	IN, YN, EUG	DACK		
DRILL X	X	DEEPEN	Ptug	BACK 7. Unit	Agreement Name	
Oil Gas Well	X Other	•		Iulinle 8. Faun	l red Farm	
Name of Operator		0	2. 1	<del></del>	iser Lease	
HUSKY OIL COMP	ANY		10/10 × 3			
	Drive. Engl	ewood, Colorado	80149 Q		35 Brooks Card and Pool, or Wildea	
Location of Well (Report lo	ocation clearly and in	accordance with any State	requirements,*)	<del>`</del> Wi	ldcat	
1182' FN	L & 1676' FI	L, NW4 NE4		11. Sec and	T., R., M., or Blk. Survey or Area	
At proposed prod, zone	Same		No.		c. 35, T12S,	R6E
Distance in miles and dire	ction from nearest to	own or post office*				State
Approximately 3	½ miles west	of Scofield (Wo	ods Canyon)	Ca	rbon l	Jtah
Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drlg. line,	964	16. No	o. of acres in lease	17. No. of acres a to this well	assigned 640	
Distance from proposed lo to nearest well, drilling, co	cation*		oposed depth	20. Rotary or cable	· _	
or applied for, on this leas	e, ft.		7600'		Rotary	
Elevations (Show whether )	DF, RT, GR, etc.)	8425'	OB	22. A	pprox, date work will	
			V PROGR		August 1, 19	982
C' - CTI-1		PROPOSED CASING AND				
Size of Hole	Size of Casing	Weight per Foot	Setting Depth		antity of Cement	
12-1/4"	9-5/8"	48# H-40 ST&C 36# H-40 ST&C	300 ' 3500 '	Apprx Apprx	500 sx (circ	to surfa
8-3/4"	4-1/2"	10.5# K-55 LT&C		Apprx 8		
We propose to casing, as abo State of Utah,	test all shove, or to plustion of Emery Blueg		oil deemed with instructions. Expected Ferron Dakota	worthy of testions received tops are: 6250' 7200'	t and to set ed from the	•
test (requeste	d and report	ed in accordance based on logs an	with Rule 9-	-C). Complet:		
Application fo	r Exception	Location was mad	e on July 1,	1982.		
ABOVE SPACE DESCRIE ctive zone. If proposal is t eventer program, if any.	E PROPOSED PRO		a on subsurface location	303) 850-1462	rue vertical depths.	Give blowout
(This space for Federal or		Title Tec	hnical Assist	ant	Date July 7	1982
of-mon you remeral of	Jame Office use)					
Permit No			Approval Date	OVED BY TI	AE CTATE	
Amproved by		MNA1	051	JTAH DIVIS		
Approved by Conditions of approval, if		Title	<b>—</b> • • • • • • • • • • • • • • • • • • •		MINING	

\*See Instructions On Reverside

### T 12 S, R 6 E, S.L.B.& M.



X = Section Corners Located

## HUSKY OIL COMPANY

Well location, BROOKS CANYON
# 2-35, located as shown in the
NW 1/4 NE 1/4 Section 35, T 12 S,
R 6 E, S.L.B. & M. Carbon County,
Utah.




THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

> REGISTERED LAND SURVEYOR REGISTRATION NO 3154 STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
PO. BOX Q — 85 SOUTH - 200 EAST
VERNAL, UTAH - 84078

SCALE	1" = 1000'	DATE 6/22/82
PARTY	RT MD LZ	REFERENCES GLO Plat
WEATHER	Clear / Warm	FILE HUSKY

After nippling up on surface pipe, but before drilling out the cement plug, the BOP's shall be ted to the rated working pressure.



### \*\* FILE NOTATIONS \*\*

DATE: July 13, 1982
OPERATOR: Hunky Gil Company
WELL NO: Brooks Caryon 2-351
WELL NO: Brooks Canyon 2-35 Location: Sec. 35 T. 135 R. Lot County: Carbon
File Prepared: [T] Entered on N.I.D:
Card Indexed: Completion Sheet:
API Number 43-007-30083
CHECKED BY:
Petroleum Engineer: 12 C3 C3 Exception lo Cation due to topo gruphy
Director:
Administrative Aide: Do Par Rule C-3(e) Sopo Enclosed
Administrative Aide: Do Per Rule C-3(c) Sopo Enclosed  APPROVAL LETTER:
APPROVAL LETTER:
APPROVAL LETTER:  Bond Required: Survey Plat Required:
APPROVAL LETTER:  Bond Required:  Order No.  O.K. Rule C-3  Rule C-3(c), Topographic Exception - company owns or controls acreage
APPROVAL LETTER:  Bond Required:  Order No.  O.K. Rule C-3  Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site

July 15, 1982

Husky Oil Company 6000 S. Willow Drive Englewood, Colorado 80111

> RE: Well No. Brooks Canyon #2-35 Sec. 35, T12S, R6E Carbon County

Insofar as this office is concerned, approval to drill the above referred to gas well on said unorthodox location is hereby granted in accordance with Rule C-3(c), General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

CLEON B. FEIGHT Office: 533-5771 Home: 466-4455

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-007-30083.

Sincerely,

ROMALD J. FIRTH

CHIEF PETROLEUM ENGINEER


RJF:SC Enclosure

Form 9–331 Dec. 1973	Budget Bureau No. 42-R1424
UNITED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	U-21514
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
Do not use this form for proposals to drill or to deepen or plug back to a different eservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME
1. oil gas 🔽	Federal
well well other	9. WELL NO.
2. NAME OF OPERATOR	6-35 Brooks Federal
HUSKY OIL COMPANY	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Wildcat
6060 S. Willow Drive, Englewood, CO 80111	11. SEC., T., R., M., OR BLK. AND SURVEY OR
<ol> <li>LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)</li> </ol>	AREA Section 35, T12S, R6E
AT SURFACE: 1759' FNL & 1172' FWL, SW4 NW4	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL:	<u>Carbon</u> Utah
AT TOTAL DEPTH:	14. API NO. 4/3-007-3008
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	12-001-3000.
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) 8539' GR
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	0009 GK
TEST WATER SHUT-OFF	
FRACTURE TREAT	
SHOOT OR ACIDIZE	
REPAIR WELL	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING U	change on Form 9-330.)
MULTIPLE COMPLETE	
ABANDON*	
(other) Drilling Plans Cancelled	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stat including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertiner	irectionally drilled, give subsurface locations and
Subject location for wildcat was surveyed a	and staked.

Husky Oil Company has cancelled plans to drill the #6-35 Brooks Federal due to environmental problems with the access road.

Subsurface Safety Valve: Manu. and Type	Set @	Ft.
18. I hereby ertify that the oregoing is true and correct Vera Chandler 303/850-1462 SIGNED ASSOC. Environmental Analyst	January 21,	1983 ——
(This space for Federal or State office use)		<del></del>
APPROVED BY DATE DATE DATE		

(This space for Federal or State office use)



121
4

	ATE OF UTAH	(Other instructions on reverse side)	5. LEASE DESIGNATION AND SERIAL
OIL & GAS CONS	SERVATION COMMISSION	N verse side)	Fee
SUNDRY NO (Do not use this form for propo Use "APPLIC	Sals to drill or to deepen or plug back ATION FOR PERMIT—" for such prop	N WELLS k to a different reservoir. osals.)	6. IF INDIAN, ALLOTTER OR TRIBE
OIL GÁS V			7. UNIT AGREEMENT NAME
WELL WELL X OTHER			8. FARM OR LEASE NAME
HUSKY OIL COMPANY			Allred Farm/Kaiser I
ADDRESS OF OPERATOR			9. WELL NO.
	e, Englewood, Colorado		2-35 Brooks Canyo
See also space 17 below.) At surface	clearly and in accordance with any Ste	ate requirements.	10. FIELD AND POOL, OR WILDCAT Wildcat
1182' FNL &	1676' FEL, NW4 NE4		11. SEC., T., R., M., OR BLE. AND
			SURVEY OR AREA COO 75 T12C D4
PERMIT NO.	15. BLEVATIONS (Show whether DF, RT	GR. etc.)	Sec. 35, T12S, R6
43-007-30083	8425' GR	, 50, 400,	Carbon Uta
Chack A	ppropriate Box To Indicate Nat	una of Notice Person on C	'
NOTICE OF INTER			FIRST REPORT OF:
TEST WATER SHUT-OFF	BULL OF ALTER CASING		J (
	PULL OR ALTER CASING MULTIPLE COMPLETE	WATER SHUT-OFF FRACTURE TREATMENT	REPAIRING WELL ALTERING CASING
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDON MENT*
REPAIR WELL	CHANGE PLANS	(Other)	
(Other)	CRATIONS (Clearly State all pertinent d	Completion or Recompl	of multiple completion on Well etion Report and Log form.)
Husky Oil Com	pany has cancelled plan	ns to drill the #2-3	
	LA		
			ECELVICA 10N 88 1983
			DIVISION OF MINING
. I hereby certify that the foregoing is		Chandler 303/850-14 Environmental Anal	162

TITLE Assoc. Environmental Analyst DATE January 21, 1983

\_\_\_\_\_ DATE \_\_\_